



*A portable telescoping pneumatic hoist uses compressed air to lift up to 159kg to a height of 5.6m.*

## GENIE HOIST

## SLC

*Easily transportable material lift for construction and industrial applications.*

*Lift Heights:  
1.7 to 7.3m*

*Lift Capacity:  
73 to 295kg*



## SLA

*A heavy duty material lift designed specifically for rugged applications.*

*Lift Heights:  
1.5 to 7.9m*

*Lift Capacity:  
295 to 454kg*

# EASILY TRANSPORTABLE MATERIAL LIFTS

**AUSTRALIA WIDE – 1800 677 476**

# LOAD LIFTER



*The Hand Truck that lifts up to 91 kg (200 pounds) to a height of 1.7m (five feet seven inches).*

# AERIAL WORK PLATFORM

*The Genie Super Series portable elevating work platforms can safely lift one person to working heights of up to 12.3m.*



# GENIE LIFT



*The Genie Lift is ideal for all your material handling needs.*

*Lift Heights: 1.3 to 3.7m*


*Lift Capacity: 159 to 227kg*

**AUSTRALIA WIDE – 1800 677 476**

# CABLE GUARD



- Supply and Installation of Cable Guard
- Available on all material lifts
- Increased protection for users
- Exceeds OH&S requirements
- Contact us for more information



## THE SPEEDY

### SPECIFICATIONS

#### FOLDED DIMENSIONS

2060 x 780 x 270mm

#### WEIGHT

37.5kg

#### HEIGHT

1950mm

#### WIDTH

750mm

#### LENGTH


1950mm

#### PLATFORM HEIGHTS

1180mm, 770mm, 360mm

#### AUSTRALIAN STANDARD

AS/NZS 1576.3



### BUILT FOR EVERY ONE

**THE SPEEDY** is a new, extremely versatile folding workstand built with different trades in mind - including decorators, electricians, insulation contractors, plasterers and signwriters.


**EASILY ASSEMBLED** - ready for use in seconds and can act as a trolley for moving equipment around the home, office, factory or worksite.

Alternate working heights can easily be achieved in seconds by adjusting the working platform.

### SAFER THAN A LADDER

**AUSTRALIA WIDE – 1800 677 476**

### STANDARDS



**3.0 metre**  
Length: 3073mm

**2.5 metre**  
Length: 2578mm

**2.0 metre**  
Length: 2083mm

**1.5 metre**  
Length: 1588mm

**1.0 metre**  
Length: 1093mm

**0.5 metre**  
Length: 545mm

### SOLID & HOLLOW BASE JACKS

**Adjustable base jack**  
Length: 720mm  
Adjustment range:  
50mm to 570mm



**Adjustable forkhead jack**  
Length: 780mm  
Adjustment range:  
50mm to 570mm

### TRANSOMS




**2.4 metre**  
Length: 2390mm

**1.8 metre**  
Length: 1780mm

**1.2 metre**  
Length: 1221mm

**0.70 metre**  
Length 712mm

### STEEL BOARDS



**2.4 metre**  
Length: 2420mm

**1.8 metre**  
Length: 1810mm

**1.2 metre**  
Length: 1251mm

### LEDGERS

**2.4 metre**  
Length: 2390mm

**1.8 metre**  
Length: 1780mm

**1.2 metre**  
Length: 1221mm



### STAGE BOARD BRACKETS



**1 Board**  
Length: 1895mm



**2 Board**  
Length: 508mm



**3 Board**  
Length: 800mm



**Internal Corner Filler**  
Size: 520mm sq

### BRACES



**Hand Rail Braces**  
**3.2 metre**  
Length: 3210mm

**Diagonal Braces**  
**3.6 metre**  
Length: 3543mm

**2.7 metre**  
Length: 2764mm

**Cross Braces**  
**2.1 metre**  
Length: 2022mm

**1.7 metre**  
Length: 1737mm

### ACCESSORIES



Ladder Access Transom



Ladder Truss



Ladder Beams



Castors

### TIE BARS

**2.4 metre**  
Length: 2415mm

**1.8 metre**  
Length: 1804mm

**1.2 metre**  
Length: 1245mm



### MESH GUARDS

**2.4 metre**  
Length: 2435mm    Height: 1m


**1.8 metre**  
Length: 1775mm    Height: 1m

**1.2 metre**  
Length: 1219mm    Height: 1m



### SPANDECKS

4.8m – 8.0m  
225kg Capacity  
Minimise labour costs



### STAIRS



**Alloy Stairway**  
Weight: 22.0kg

**Alloy Handrail**  
Weight: 18.0kg

**Alloy Top Handrail**  
Weight: 22.0kg

**3000 Stair Stringer**  
Length: 1300mm

**1600 Stair Stringer**  
Length: 1590mm

**3000 Stringer Handrail**  
Length: 3200mm

**1600 Stringer Handrail**  
Length: 1630mm

### TUBE & FITTINGS

Galvanised and black scaffold tube.



### DROP-FORGED DOUBLE COUPLER SWIVEL COUPLER JOINT PINS GIRDER COUPLER PUTLOC COUPLER



### ALUMINIUM & FIBREGLASS MOBILE TOWERS

Double width tower

We supply a full range of lightweight mobile scaffolds and components for hire or sale.



Single width tower

### SWING STAGE

Swing Stage up to 15m long  
Full range of wire ropes, cables and accessories  
Full installation service



**HEAD OFFICE:**  
12 ALHAMBRA AVENUE, CARDIFF NSW 2285  
Ph: (02) 4902 5250 • FAX: (02) 4902 5251  
PO Box 617 Warners Bay NSW 2282

#### NEWCASTLE BRANCH

Unit 2, 11 Laverick Avenue  
Tomago NSW 2322  
Ph: (02) 4985 2999 • Fax: (02) 4985 2900

#### SYDNEY BRANCH

Unit 2, 23 Aylesbury Street  
Botany NSW 2019  
Ph: (02) 9549 6999 • Fax: (02) 9549 6900

#### GOSFORD BRANCH

Lot 8 Enterprise Close, Mandell Business Park  
West Gosford NSW 2250  
Ph: (02) 4324 9077 • Fax: (02) 4323 2762

#### BRISBANE BRANCH

Unit 1, 1 Dulwich Street  
Loganholme QLD 4129  
Ph: (07) 3801 9777 • Fax: (07) 3801 9700

#### GEE LONG BRANCH

88-90 Heales Road  
Corio VIC 3214  
Ph: (03) 5275 8716 • Fax: (03) 5275 8099

#### ADELAIDE BRANCH

87 South Terrace  
Wingfield SA 5013  
Ph: (08) 8345 5808 • Fax: (08) 8345 5885

**AUSTRALIA WIDE – 1800 677 476**